



A 70 HINGED - PVC

ENERGY EFFICIENCY

Thermal Transmission Coefficient
 U_w from 0.9 (W/m²K)

Please consult typology, dimensions and glazing.

ACCOUSTIC INSULATION

Maximum glazing: **42 mm**
 Maximum acoustic insulation: **Rw = 46 dB**

CATEGORIES ACHIEVED AT TEST CENTRE

Protection against atmospheric agents

Air permeability (EN 12207):

Class 4

Water tightness (EN 12208):

Class E1800

Wind resistance (EN 12210):

Class C5

Reference test window 1.23 x 1.48 m / 2 sashes.

SECTIONS	Frame 70 mm Sash 70 / 80 mm		
CLASIFICACIÓN	Profile thickness Class A \geq 2.8 mm Weather Severe weather Impact Class II		
MAXIMUM DIMENSIONS	Width (L) = 360-1300 mm Height (H) = 450-2300 mm Window		
	Width (L) = 360-1300 mm Height (H) = 600-2400 mm Balcony		
	Width (L) = 700-1300 mm Height (H) = 600-2500 mm Door		
MAXIMUM WEIGHT/SASH	130 Kg Window	130 Kg Balcony	160 Kg Door
	GASKETS		
	PVC double gasket		
OPENING POSSIBILITIES			
INWARDS	Side hung, turn&tilt, parallel-tilt, tilt and bi-fold		
OUTWARDS	Side hung and top hung		
FINISHES	Optionally bicoloured White Coloured wrapping Wood-imitation wrapping		

Please consult maximum dimensions according to types.

